

City of Louisburg Public Works Department

215 S Broadway, Louisburg, Kansas 66053 (913) 837-5371 Fax (913) 837-5374

February 4, 2019

Subject: Request for Proposals for Concrete Repair

Dear Sir or Madam:

You are invited to submit a proposal for concrete sidewalk and curb repair.

The project consists of curbs and flatwork as follows:

1. Provide all labor and materials to construct the curbs and flatwork as shown on attached drawing.
2. Contractor will use AB3 if needed for base.
3. Curbs shall be stand-up type "B" and have 3 #4 rebar's.
4. Sidewalks shall have 3 #4 rebar lengthwise with crossbars. Rebar shall be on chairs. Sidewalks shall be 3 1/2" thick minimum. A 6 foot wide sidewalk shall be provided. Sidewalk elevation shall match existing storm sewer inlet.
5. All concrete shall be **KCMMB Granite 4500 psi mix**. Concrete mix shall be submitted and approved before pouring.
6. Grading will be done by Contractor
7. Two year Maintenance Bond
8. Contractor will put out door hangers no less than 2 days before the work is scheduled to start.

Work shall be completed by July 31, 2019.

Completed bids are requested by Noon on Tuesday February 26, 2019.

If you have any questions, please feel free to call Craig Hufferd, 913-238-6324

Enclosures:

Bid Sheet

Location Drawing/Map

BID SHEET

ITEM	QTY	UNIT	UNIT PRICE	TOTAL PRICE
<i>Roll Back Curbs</i>				
119 Shoreline Dr			\$ _____/	\$ _____
1200 S 5 th Street E			\$ _____/	\$ _____
1243 S 5 th Street E			\$ _____/	\$ _____
1102 N 2 nd Street E			\$ _____/	\$ _____
1105 N 2 nd Street E			\$ _____/	\$ _____
1208 N 2 nd Street E			\$ _____/	\$ _____
1213 N 2 nd Street E			\$ _____/	\$ _____
1302 N 2 nd Street E			\$ _____/	\$ _____
1303 N 2 nd Street E			\$ _____/	\$ _____
1304 N 2 nd Street E			\$ _____/	\$ _____
1306 N 2 nd Street E			\$ _____/	\$ _____
1307 N 2 nd Street E			\$ _____/	\$ _____
1309 N 2 nd Street E			\$ _____/	\$ _____

TOTAL \$ _____

Sidewalk
 1200 Starbrooke Dr
 211 Shoreline Dr
 718 Danford Dr

\$ _____/	\$ _____
\$ _____/	\$ _____
\$ _____/	\$ _____

TOTAL \$ _____

Curb/Approach
 1 Aquatic Dr

\$ _____/	\$ _____
-----------	----------

TOTAL \$ _____

TOTAL plus 10% \$ _____

Company _____

Address _____

Phone _____

Signature _____

Concrete Work (will be marked with white paint):

Roll Back Curbs

119 Shoreline Dr – 140'



1200 S 5th Street E – 9' and 1243 S 5th Street E – 25'



1102 N 2nd Street E – 10', 1105 N 2nd Street E – 10', 1208 N 2nd Street E – 12' and 1213 N 2nd Street E – 26'



1302 N 2nd Street E – 26', 1303 N 2nd Street E – 18', 1304 N 2nd Street E – 26', 1306 N 2nd Street E – 26', 1307 N 2nd Street E – 12' and 1309 N 2nd Street E – 12'




Sidewalk

1200 Starbrooke Dr – 8' x 5'



211 Shoreline Dr – 18' x 6' and 12' x 6'



718 Danford Dr – 12' x 4'



Curb/Approach

1 Aquatic Dr

Curb – 18', 18', 12' and 10'

Approach/role back curb – 50' x 2'

