

City of Louisburg Public Works Department

215 S Broadway, Louisburg, Kansas 66053 (913) 837-5371 Fax (913) 837-5374

February 5, 2020

Subject: Request for Proposals for the crack seal of public roadways

Dear Sir or Madam:

You are invited to submit a proposal for the crack seal of public roadways. The location of the project will be in the City of Louisburg city limits.

Contractor Shall:

- Clean surface by air blowing, vacuum, mechanical sweeping, washing, or other techniques as approved by engineer / owner.
- Pretreatment and scrap any oil / grease spots to insure prior adhesion of seal coating. Cleaning of such areas can be scraping, burning and/or chemical cleaning. (Where chemical cleaning is to be the method of cleaning MSDA sheets on all chemicals must be submitted to the owner prior to use.)
- Remove any vegetation in cracks and treat the areas with a non-oil base soil sterilant prior to treating the crack as outlined in this document.
- Cracks in excess of ¼ inch, but less than 1 inch in width must be properly sealed, in a fashion consistent to the manufactures recommendations of the sealcoat product, prior to seal coat application. Crack filler shall be hot or cold applied product designed to be compatible with the seal coating and meet current KDOT standards.

Contractor Shall:

- Barricade work areas during installation and while the seal coat is drying (material manufactures recommendations shall be the guide)
- Insure that overspray is properly contained during the application process. This is to include, but not limited to, protection of adjacent properties, buildings, fences, vehicles, ect.

All work shall be conducted and adhere to current OSHA and/or State of Kansas rules and regulations.

When any material, not conforming to the requirements of this specification or drawings, has been delivered to the project or incorporated in the work, or any work performed is of inferior quality, such defective material or work shall be corrected as directed by the Owner, at the expense of the Contractor.


Contractor shall provide a one-year warranty on workmanship of all pavement seal coating applied.

Completed bids are requested by 10 am on February 26, 2020


Work shall be completed by August 30, 2020.

If you have any questions, please feel free to call Craig Hufferd, 913-238-6324


NW Quarter of Louisburg



NE Quarter of Louisburg



SW Quarter of Louisburg



SE Quarter of Louisburg

